


THE IMPERIAL NRA "HISTORIC ARMS" MEETING

9th & 10th JULY 2011

NRA BISLEY RANGES



Entirely
"In The Spirit of the Original"

Matches for Rifle, Sporting Rifle, Gallery Rifle & ML Pistol

MATCH DIRECTOR	DAVID GREGORY
STAFF OFFICER	PHIL WIKELEY
EVENT CO-ORDINATOR	DAVID MUMFORD

EVERYONE WELCOME

GENERAL TIMINGS			
RANGE	SATURDAY		SUNDAY
CENTURY/SIBERIA	09:15 -12:30	13:45 - 17:30	09:00 - 12:00 13:30 - 16:30
MELVILLE	09:00 -13:00	14:15 -17:00	09:00 - 12:45 14:15 - 16:30
SPORTING	09:00 -13:00	14:15 - 17:00	09:00 - 12:00 #13:30 - 15:45
See Self Squadding sheets for exact timings & changeover breaks			

HOW TO ENTER

There are matches to suit every level of experience & firearm if you are not sure which Match is right for your Firearm please do not be frightened to ask! Contact us at the Web Site or the Match Director (home) 01630 672463 or davidtricia.theledge@talktalk.net

NB: Competitors MUST possess a Shooters Safety Certificate in order to shoot. This must be presented at Registration. Make sure you are qualified to shoot the classes you wish to enter.

With this Programme is a Match List and Entry Form. From the Match List choose which Matches you wish to enter and list them on the Entry Form and send it to the address on the Form, with your entry fee. You may enter Matches only once, unless you are using a different firearm each time, Matches are split into historic dateline periods set out in the table below

**Matches have been renumbered to correspond with the Trafalgar Meeting.
RIFLE Match numbers now run from 100 to 719, Pistol and Gallery Rifle run from 801 to 898**

GUIDE TO DATELINE & DESIGN PERIODS		
A firearm may always be used in a Match for a later Period		
PERIOD	DATELINE	EXAMPLE
MUZZLE LOADING	Pre-1874 Flintlock [#] & Percussion	Matches 101 – 118
VINTAGE*	pre-1891 Black Powder only	Ms 200 – 240
CLASSIC	pre-1919	Ms 400 - 472
VETERAN	1919-1945	Ms 500 - 544
HISTORIC/OPEN	Any pre-1946 design	Ms 600 - 669
POST VETERAN	post 1946	Ms 710 - 719

For Pistol and Gallery Rifle matches 801-898, see the Firearm type and Conditions to define dateline eligible.

* **DEFINITION: VINTAGE** : “Any BL rifle 19th Century” pattern designed for black powder or semi smokeless powder, used with 100% black powder and with lead or lead alloy bullet (may be naked, grooved, with base plug, or paper patched, but NO gas checks or jacket)” Rifles in this class may, if proofed for nitro, be used in other classes for which they are eligible without restriction. But for all **Vintage Matches**: Black powder **MUST** be used in all firearms even if the firearm is proved for nitro or is a modern reproduction
#**FLINTLOCK PISTOLS**: Where a FLINTLOCK pistol is shot in a PERCUSSION Pistol Match (e.g., at 50m) a 7-point advantage will be added to the score, **provided that** the firer notifies the RCO before the first scoring shot, and the score card is annotated and signed.

WANT TO MAKE A WEEKEND OF IT?

Motor home caravan and camping plots available, with hot & cold washing, showers, and wc facilities nearby.

COMPETITORS ACCOMMODATION

IN NRA ROOMS IN THE SPIRIT OF WIMBLEDON 1896

In short supply so apply as soon as possible please to NRA accommodation, Tel. 01483 797777 (ext. 135).

There are rooms at the Pavilion, Telephone 01483 489270

There are B&B's and Hotels locally BUT remember the security of your kit and car is solely your own responsibility..

FOOD:

As many of the Club Houses on site like the London & Middlesex, The Surrey, & The Artists do excellent food. Jenny's provides simple fare on the range. There is also the National Clay Shooting Centre's cafeteria at the top of the shotgun layouts.

There is a selection of “pub grub” places and various takeaways and a chippy locally. **Sainsbury's** and other shops are within 2 miles of the camp.

EMERGENCY FACILITIES There is always an ambulance & St Johns aid on site during shooting hours (usually opposite NRA HQ) Contact Range Office to call. Camp Standing Orders tell you what to do & where when on camp.

GENERAL

The specific conditions, Targets, and Courses of Fire are set out in the Match List and they form part of the Rules of the Meeting Remember that you should also have a copy of the Bisley “bible”

REGISTRATION:

Either in advance by post in envelope marked “Historic Arms” on the enclosed entry form (also on the NRA website), or at Reception (at NRA front office) on the day. Scorecards may be collected from Reception from 2pm on the Friday before.

Shooters Competency Certificates must be produced for checking

NRA Percussion Revolver Championship, this is now a separate event from the HAM held on the 11th of June. See end pages of this document for details and entry form.

SQUADDING:

ALL MATCHES ARE SELF-SQUADED, Using the sticker system, Meeting Staff taking priority. See detailed instruction on use of Stickers at Reception. Squadding sheets will be in reception prior to commencement of each day's shooting, after which they will be adjacent to the firing point.

NOTE:- Sunday afternoon “ First Come First Served”

The “Programme” time for the start of each Match is for the “first round down the range”. Therefore please ensure you are on the right range in ample time to report to the Register Keeper or RCO and set up and load if required.

You are allowed a maximum of TWO scorecards fired consecutively before you **MUST** physically leave the firing point, return to the designated assembly/waiting areas and re-squad. The RO may permit the competitor to fire again, if there is no one else waiting to fire.

RANGES:

Rifle Matches on Century, Butts 10 & 11. Access to the **200yds Century Firing points** on Butts 10 & 11 is via the **gate in front of the 300m shed**. Allocated targets & range numbers will be displayed on notice boards behind firing point;

Matches at 100 yards are situated on Short Siberia on the far side of Century range and you should allow extra time for these due to their location. There is a car park adjacent to Short Siberia range at the end of Hobson's Way.

All Gallery Rifle & Pistol on **Melville range (except 100 yds).**
Sporting Rifle on **BSRC sited to left of Melville**

DISCIPLINE: It is expected that competitors will conduct themselves “In Accordance With The Spirit Of The Original” and NRA Range Orders & Rules (see the Bisley bible). Range orders are available on the notice board in the Range Office

Minor infringements may be dealt with by the Match Director and by such penalties as he may decide on a scale from ordering a re-shoot to loss of score in a Match. Minor unintentional infringements that do not give the competitor a significant advantage may be only the subject of advice.

Any cases of gross misconduct, such as a breach of the safety rules, blatant breach of the conditions or NRA rules, or failure to obey the instructions of an Official, will be dealt with under paragraphs 542-547 & 552a, of Part V of the Bisley bible, and may be reported to the Disciplinary Committee, which has the power of expulsion from the Meeting or “expulsion forever from the Camp and Ranges” (544).

Every competitor is deemed to have full knowledge of the NRA rules especially Section 76 penalties, Part H, Range operating Procedures, especially Rule 257 (Loading & Unloading with the rifle horizontal), Rule 258 lateral alignment and also the Appendices and is strongly advised to read them.

GENERAL RULES & CONDITIONS

The Meeting is conducted “In the Spirit of the Original” and under the rules and regulations of the NRA as set out in the “Bisley bible” available from the NRA, unless otherwise stated in the individual Match Rules. The “bible” also contains the full Programme for the Imperial Meeting, including many matches for which Historic Arms are eligible.

NB: Competitors MUST possess a Shooters Safety Certificate in order to shoot. Make sure you are qualified to shoot the classes you wish to enter.

Your attention is drawn to rule 257 & malfunction procedures 263;

DISABILITY:

Any competitor who requires dispensation from any rule on the grounds of disability, infirmity, or ill health is invited to apply, and this will be ***freely and discretely granted***.

The competitor may obtain this dispensation by applying to the **RO BEFORE** taking position on the firing point, on each occasion. If you require any help on the ranges please see the **Wing Officer** who will be only too pleased to help. In order to help us **PLEASE** advise the Wing Officer or Range Officer you need any assistance; let him know if you are hard of hearing or require help in putting up/retrieving targets etc.

BOBBER and DUELLING MATCHES:

There will be separate details for Pistols and Gallery Rifles as indicated on the squadding sheets. Please note that you have to ask the RO if you wish to have the two timed practice shots which may be taken during the last minute of the sighting series only.

CONTROL OF FIREARMS, AMMUNITION, EQUIPMENT, CLOTHING, etc.

A competitor must present any item for examination on a request by any Official authorised by the Match Director. This will normally be a Wing Officer; a sample of ammunition may be required for verification of charge and components. Competitors are advised that any attempt to create a “super” rifle using a combination of contemporary sights, rifle, and calibre, not normally available during the relevant period, will be outside The Spirit of the Original, and thus ineligible.

Competitors who have any queries or are in doubt are encouraged to consult any experienced competitor or an official of the meeting, for advice and assistance, which will be freely given. Any unresolved disputes MUST be referred via Range Officer/Wing Officer to the Match Director as a MATTER OF URGENCY.

PROTESTS: You will be asked to sign for any query satisfactorily resolved on the Range by the Range Officer or Wing Officer.

If there is any protest or challenge on the eligibility of any item, not resolved by a decision of the Match Director, then the matter will be decided by a jury of three. Who will be selected from a list of suitable persons nominated by the HBSA, the Vintage Arms Association, or the NRA.

AMMUNITION: DANGEROUS LOADS: Please see N.R.A. "Bisley bible", Appendix V & VI for advice concerning Dangerous Loads.

SLINGS: Permitted where specifically stated in the Match rules, eg. “as issued” (or if a Service arm equipped to accept a sling) and must be of original pattern and if on Service arms fixed to **both** sling swivels. Detaching from one swivel to form a “single point” sling is forbidden, except for NRA Service Rifle (b) and 7.62mm First Generation classes M 630 & M 710.

When using the American pattern sling as fitted to the Enfield No. 4T sniper rifle and others, the arm may NOT be placed between the split elements when competing in iron sight Service Rifle matches.

In **Target Rifle** events the use of a sling is assumed. Eg SR(b) /transitional etc. Conditions of free rifle events are “free” so slings are allowed!

Where a sling is allowed a single button or hook may be worn on the sleeve to prevent the sling slipping down

SHOOTING JACKETS, ELBOW /SHOULDER PADS, GLOVES ETC.

Must comply with NRA Rule 203; no adjustable straps etc may be used to give undue support. See also rule 247

For Service Rifle Matches **supportive** shooting jackets must be worn ***unfastened***;

Outer Clothing, with due respect to the state of the weather, may be of modern fashion and materials but must also be “in the Spirit of the Original” i.e. a conventional jacket or coat.

GLOVES:

A shooting Glove of conventional design may be worn. The glove may not extend more than 2” (50mm) above the wrist and must be flexible. Local protection may be worn e.g. thumb stall to prevent “loaders thumb” in the rapid matches.

OPTICAL AIDS:

Spectacles or a lens, *including* those of the “Knobloch” type and contact lenses, may be worn provided that if a lens is incorporated in an aperture sight any combination of lenses must be of a similar prescription to that the competitor would wear in everyday use (rule 206).

Orthoptics (any iris device mounted on spectacles or item of dress) are permitted in all matches.

SLIP ON RECOIL PADS/BUTT EXTENDERS:

May be used, if “In The Spirit”: May not give any other advantage; e.g. also act as a cheek piece. (This rule has been introduced to prevent the unnecessary alteration of historic firearms to suit the individual shooter)

NRA RULE 132 & Para 546:

“It is forbidden to use any artifice to facilitate shooting, not expressly permitted by the rules, which is contrary to the spirit of the rules.” In this context “spirit of the rules” includes the concept “In the Spirit of the Original”

Don't forget to bring your Shooters Competency Certificate!

SAFETY PROCEDURES:

LOADING:

No round may be placed on the loading platform, or in the firearm, or a loaded magazine attached, or fired, until authorised to do so by the RCO.

The bolt must not be closed or opened on a live round if the barrel is elevated more than 70 mils (about 4°).

FOR ALL PRACTICAL PURPOSES THIS MEANS THAT DURING LOADING AND UNLOADING THE BARREL MUST BE HORIZONTAL, POINTING TO THE TARGET OR STOP BUTT

Full details of the procedures are given in **NRA Rule 257**

AFTER UNLOADING:

ALL FIREARMS MUST BE CHECKED AS CLEAR BY THE REGISTER KEEPER BEFORE LEAVING THE FIRING POINT

The person checking **must go to the Rifle, not the rifle to the checker.** Rifle must be kept pointing at stop butt area until cleared.

The Register Keeper is the person signing the scorecard, this signature also certifies that the FIREARM is CLEAR. See NRA Rule 263 b.

Off the firing point all firearms must be either be

- 1 CASED**
- 2 WITH BOLT OR BREECH BLOCK REMOVED (where possible also with breech flag inserted)**
- 3 WITH ACTION OPEN AND BREECH FLAG INSERTED**

THE STEM OF THE BREECH FLAG MUST BE OF SUFFICIENT LENGTH TO FILL THE CHAMBER

GALLERY RIFLES FITTED WITH TUBULAR MAGAZINES:

PARTICULAR CARE MUST BE TAKEN TO ENSURE THAT THE MAGAZINE TUBE IS EMPTY at the end of each series. (It is very difficult to see the magazine follower in some models.) Additional Range Commands may be employed to assist with this.

MALFUNCTIONS

For **ANY** malfunction: keep firearm **pointing at target**, raise free hand and wait for RO's instructions. **Rule 265.**

MISFIRES Rule 262.

Proceed as for Malfunctions above. See also **NRA rule 263 Bisley bible**

IN ANY CASE DO NOT OPEN THE ACTION FOR AT LEAST 30 Seconds. FOR BLACK POWDER WAIT 1 MINUTE

For Malfunctions & misfires the shot will be allowed with replacement rounds as required: Snaps & Rapid Fire Matches the RO will give a free re-shoot subject to time & space.

FLINTLOCK PISTOLS:

Where a FLINTLOCK pistol is shot in a PERCUSSION Pistol Match (e.g., at 50m) a 7-point advantage will be added to the score, **provided that the firer notifies the RCO before the first scoring shot**, and the score card is annotated & signed.

OPTICAL SIGHTS:

Are permitted **only** where specifically mentioned in the Conditions: these include **telescopes** and **tube sights with lenses**. The **MOUNTS** ideally should be of contemporary pattern but modern mounts admitting no advantage will be permitted except in Sniping Rifle.

GALLERY LOADS -- Sporting Rifles and Gallery Rifles:

Gallery Loads used in true fullbore rifle cases ("downloading") are **NOT** permitted.

If you intend to use an auxiliary cartridge ("calibre adapter") please obtain approval from the RCO *before* the detail starts *CF calibre reducing adapters (such as the Marble) in high power rifles WILL be accepted provided that normal pistol velocities and muzzle-energies are not exceeded. Examples .45"Colt in .577/.450"; .32"acp in .303".*

Don't forget to bring your Shooters Competency Certificate!

Recently added Matches

Look out for these in the Match List !!

Too many to list here!

Look in the last column of the Match list for “NEW” !

**There are 30 new matches in Rifle and Pistol & Gallery Rifle.
We hope you enjoy them!**

**NB: The NRA Revolver Champs are now on the 11th of June
Saturday!!**

**Entry form etc is below. NB:Note Class 3 conditions, nitro
permitted.**

IHAM MEETING 2011

RIFLE MATCHES

MUZZLE-LOADING RIFLE: capping breech-loaders eligible but not modern "straight line" patterns								R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited)	SSCB column shows the Skilled Shot bogey score	
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code	
100	200y	M/L Target Rifle	Target	Any	Prone	MLAGB (10/13)	Contemporary designs.	87	R2-M	
101	100m	M/L Target Rifle	Target	Any	Prone	MLAGB (10/13)	Contemporary designs.	85	New	
102	100m	M/L Service Rifle	Service	As Issued	Prone	MLAGB (10/13)	Issue sights/sling	80	New	
103	200yds	M/L Free Rifle	Free Rifle	Any	Any	2NS + 10	Any contemporary sights	42	R1-M	
104	200yds	M/L Service Rifle	Service	As Issued	Prone	2NS + 10	Issue sights/sling	40	R3-M	
105	200yds	M/L Target Rifle	Target	Any	Standing	2NS + 10	Any contemporary sights	32	R39-M	
106	200yds	M/L Service Rifle	Service	As Issued	Standing	2NS + 10	Issue sights/sling	30	R15M/R16-M	
115	200yds	Flintlock (Repro) Open Sights HAM Incl Originals.	Flintlock	Open sights	Prone	2NS + 10	Original/Reproduction	30	NEW	
116	100m	Patched Ball Open Sights	Patched Ball	Open sights	Standing	13 shots in 30 mins. Best 10 to count	Contemporary designs. Patched ball only. PL7 target	62	NEW	
117	100m	Muskatoon Open Sights	Muskatoon	Open sights: max OAL 40.5" (103cm)	Standing	13 shots in 30 mins. Best 10 to count	Short rifle/carbine. Contemporary designs	58	NEW	
118	200y	Any Percussion Rifle	Any Percussion Rifle	Any sights	Standing	2NS + 10	Any contemporary sights	32	R14-M	

VINTAGE RIFLE: Dateline end of 1891. Breechloaders only unless express permission given. Black powder only								R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited)	SSCB column shows the Skilled Shot bogey score	
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code	
201	200yds	Any Vintage Rifle	Any	Any calibre inc Rimfire	Prone	2NS + 10	Iron sights	40	R4-B	
202	200yds	Service S/Shot large	Service S/Shot	Large-bore (>12mm)	Prone	2CS + 10	Issue sights/sling	34	R5-B	
203	200yds	Service S/Shot medium	Service S/Shot	Medium-bore (9-12mm)	Prone	2CS + 10	Approx .355-.472. Issue sights/sling	39	R6-B	
204	200yds	Service S/Shot large	Service S/Shot	Large-bore (>12mm)	Standing	2CS + 10	Issue sights/sling	27	R17-B	
205	200yds	Service S/Shot medium	Service S/Shot	Medium-bore (9-12mm)	Standing	2CS + 10	Approx .355 minimum. Issue sights/sling	27	R18-B	
206	200yds	Service S/Shot small	Service S/Shot	Small-bore (<9mm)	Standing	2CS + 10	Max .354 CF calibres. Issue sights/sling	28	R19-B	
207	200yds	Repeating Rifle	Repeating Rifle	Includes magazine and lever-actions	Standing	2CS + 10	Contemporary designs BP ONLY	30	NEW	
234	200yds	Any Vintage Rifle	Any	Contemporary action/cartridge	Standing	2NS + 10	Sporterised rifles allowed	25	NEW	
235	200yds	Any Vintage S/S Rifle	Any Single Shot	Period magazine rifle allowed if single-loaded	Prone	Rapid 2NS + 1 min	Iron sights. No slings. Max 15 rnds	25	R25-B	
236	200yds	Vintage Repeating Rifle	Repeating Rifle	Medium and large-bore only	Prone	Rapid 2NS + 1 min	Iron sights. No slings. Max 15 rnds	25	NEW	
237	200yds	Any Vintage Rifle	Any Rifle	Single-loaded	Prone	Single Snaps	Full DP1 target. Slings allowed	15	R30-B	

CARBINE & SHORT RIFLE: Any design prior to 1946. Max OAL 40.5 inches CF only (No Lever Actions)									
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code
351	100m	The Century Match	The Century Match	BSA Century only	Prone	BSA Century Rifles only. 20 shots in 30 mins, no sighters	Full target shooting kit permitted.	180	NEW
361	100m	The Martini Target Match	The Martini Target Match	Martini actioned target rifles	Prone	20 shots in 30 mins, no sighters	Any Martini Actioned Target Rifle up to International Mk 5. Full target shooting kit permitted.	185	NEW

CLASSIC RIFLE: Dateline end 1918. "Vintage" eligible if smokeless ammunition used. CF unless stated otherwise.								R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited)	SSCB column shows the Skilled Shot bogey score	
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code	
402	55yds	Classic Rook&Rabbit Rifle	Rook Rifle	R&R CF calibres	Standing	2 x 10 in 10 mins	"Traditional" single-shot rifle in Centrefire R&R calibres e.g., .380 Long, .360 No.5, .310, .295/.300, .297/.250, .297/.230. .32WCF and .25/20WCF are deemed to be "R & R"-- fitted with Metallic sights (i.e., aperture rear-sights OR open mid-sights).	120	G63-C	
403	200yds	Classic single shot Service Rifle	Service S/Shot	Early Classic s/shot	Prone	2NS + 10	Single shots eg Martini Enfield, Issue sights/sling	43	NEW /Ex R7-C	

404	55yds	Rook and Rabbit	Rook & Rabbit	Traditional R&R CF	Standing	4NS + 2 x 10 MOVING R Boar	Any Classic SINGLE-SHOT Sporting rifle chambered for a "traditional" Rook & Rabbit CF cartridge AND/OR a rimfire cartridge above .23" nominal calibre. NOTE: A Special Award will be given for the highest Rimfire R&R Rifle score.	50	R49-H
405	200yds	Any Classic Rifle	Any		Prone	2NS + 10	Sights AGP 5 etc deemed eligible. Single shots see 403.	47	R7-C
406	200yds	Classic Service Rifle	Service	Issue pattern only	Prone	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling Sights central. SPECIAL AWARD for early classic pre 1895 design; use of Black Powder for this class is encouraged. Metallic sights only.	46	R9-C
407	200yds	Classic Service Rifle	Service	Issue pattern only	Standing	2NS + 10	Issue sights/sling	33	R20-C
410	200 yds	Classic Sporting Rifle Met Sights	Classic Sporting Rifle	CF only iron sights	Prone	2NS + 10	Sporter of pre-1919 design used with any contemporary pattern metallic sights.	43	R8-C
411	200 yds	Classic Sporting Rifle Optical	Classic Sporting Rifle	Optical sights	Prone	2NS + 10	Optical contemporary sights	46	R8-CO
412	200 yds	Classic Service Sniper Rifle Optical only	Classic Service Rifle	Optical sights	Prone	2NS + 10 Sand/Sky Tin Hat	As issued, Optical contemporary sights	46	R9-CO
415	200 yds	Classic Miniature Target Rifle	Classic Miniature TR	Iron sights	Prone	2NS + 10	BSA Rifles up to and including M12 are eligible. Later (pre-1946) foresights are permitted Slings permitted	40	R12-C
420	110 yds	Classic Running Deer	Classic Sporting Rifle	Any	Standing	4NS + 2 x 10 MOVING	Any sights. Any centrefire sporting rifle, including contemporary conversions of Service Rifles if "in the spirit".	65	R43-C
461	100m	Rook & Rabbit	Rook & Rabbit	Traditional R&R CF calibres	Standing	20 shots in 30mins PL7 target	CF single shots to .380Long	150	NEW
463	200yds	Rook & Rabbit	Rook & Rabbit	Traditional R&R CF calibres	Standing	2NS + 10	Any Classic SINGLE-SHOT Sporting rifle chambered for a "traditional" Rook & Rabbit CF cartridge AND/OR a rimfire cartridge above .23" nominal calibre. Max .380 Long.	41	NEW
465	200yds	Classic Service Rifle	Service	Issue pattern only	Prone	Rapid 2NS+60s	Issue sights. No slings Max 15 rounds start 5 rounds loaded	49	R26-C
467	200yds	Classic Service Rifle	Service	Double snaps	Prone	Double Snaps 2NS + 5 X 5 secs	5 exposures of 5s, maximum of 2 shots per exposure, with 5secs minimum between exposures. The firer may load no more than 5 rounds initially; rifles may be reloaded any time during the series. Issue sights. No slings	23	R31-C
470	200yds	Rimfire Schutzen Rifle	Rimfire	Rimfire	Standing	2NS + 2 x 10	Unsupported, no sling Not restricted to those rifles fitted with palm-rests, horned butt-plates and set triggers: i.e. open to TRs & SRs Any pre-1946 rifle in a RIMFIRE calibre, fitted with any pattern of metallic sights . Separate awards Classics/ Veteran	70	R22-H
471	200yds	Vintage B-L & Classic Centrefire Schutzen Rifle	Centrefire	pre 1919	Standing	2NS + 2 x 10	Unsupported, no sling Not restricted to those rifles fitted with palm-rests, horned butt-plates and set triggers: open to TRs & SRs Any pre-1919 CENTREFIRE rifle fitted with any pattern of metallic sights .	65	R23-BC
472	200yds	Open Schutzen Rifle	Any rifle		Standing	2NS + 2 x 10	Unsupported, no sling Not restricted to those rifles fitted with palm-rests, horned butt-plates and set triggers: open to TRs & SRs Any pre-1946 rifle (RF and/or CF) with any contemporary sights and mounts.	75	R24-H

VETERAN RIFLE: Designs between 1919 and 1945... Datedlined at BOTH ends. CF unless stated otherwise									
R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited) SSCB column shows the Skilled Shot bogey score									
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code
506	200yds	Veteran Service Rifle	Service	Issue pattern only	Prone	2NS + 10 Sand/Sky Tin Hat	Issue sights/sling	45	R10-V
508	200yds	Veteran Service Rifle Sniper Optical only	Service	Issue pattern OPTICAL	Prone	2NS + 10 Sand/Sky Tin Hat	Sand/Sky Tin Hat Issue sights/sling	43	R10-VO
510	200yds	Veteran Service Rifle	Service	Issue pattern only	Standing	2 NS + 10	Issue sights/sling	35	R21-V
540	200yds	Veteran Service Rifle	Service	Issue patterns	Prone	Rapid 2NS +60s DP1	Issue sights. No slings Max 15 rounds start 5 rounds loaded	49	R27-V
544	200yds	Veteran Service Rifle	Service	Issue pattern only	Prone	Double Snaps 2NS + 5 X 5 secs DP1	5 exposures of 5s, maximum of 2 shots per exposure, with 5secs minimum between exposures. The firer may load no more than 5 rounds initially; rifles may be reloaded any time during the series. Issue sights. No slings	23	R32-V

OPEN RIFLE: Any design prior to 1946. CF unless stated otherwise									
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code
601	55yds	Open 22 Sporting rifle	.22 Sporting	Rimfires only	Standing	4NS + 2 x 10 MOVING R Boar	Any contemporary sights inc optics. Single or double point slings Any pre-1946 sporting rifle chambered for .22RF ammunition. This includes .22short, .22wrf & .22 Winchester M1903.	60	R48-H
611	110yds	Any Rifle Historic Running Deer	Centrefire	Any Historic	Standing	4NS + 2 x 10 MOVING	Any sights.	30	R45-H
613	110yds	Big Game Rifle	Big Game	1750ft-lbs min. M.E.	Standing	4NS + 2 x 10 MOVING	Iron sights. Single-loading doubles allowed. No slings	27	R40-B

615	110yds	CF Military	Centrefire	Military issue	Standing	4NS + 2 x 10 MOVING	Service rifles as issued but no slings .	27	R47-H
616	110 yds	Low Power Sporting Rifle <1496 ft lbs.Inc L/A	Centrefire	Low Power Sporter <1496 ft/lbs	Standing	4NS + 2 x 10 MOVING	Any sights. Max 1496 ft lbs	65	R50-H
619	200yds	Any Historic NRA Gallery Rifle	Any historic NRA GR	Max 1496 ft lbs	Prone	Rapid 2NS+60s DP1	Pre 1946 design RF or Gallery caliber.	20	R29-H
624	200yds	Sniper Civilian	Centrefire	Civilian Arms	Sniping	McQueen	NRA McQueen: 2s + 10 exposures of DP14 target within or over cover, 1 shot per exposure; PROCEDURE see "Bisley bible" p. 176 paras 1-8. Any pre-1946 design rifle with any sighting system contemporary with the rifle or available during the period. Telescope mounts should be of contemporary pattern but may be reproductions	40	R34-H
625	200yds	Sniper Military	Sniper	Military Issue	Sniping	McQueen	See 625. Any pre-1946 design rifle with any sighting system contemporary with the rifle or available during the period.	39	R35-H
630	200yds	Target Rifle NRA .303 SR(b)	Target Rifle	SR(b).303 rifles	Prone	2 NS + 10	Telescope mounts should be of contemporary pattern but may be reproductions	45	R36-P
643	200 yds	Any Historic Lever Action Repeating Rifle	Any lever action rifle	Any caliber	Prone	Double Snaps 2NS + 5 X 5 secs DP1	Full DP1 Target. 5 exposures of 5s, maximum of 2 shots per exposure, with 5secs minimum between exposures. The firer may load no more than 5 rounds initially; rifles may be reloaded any time during the series. Issue sights. No slings	20	R33-H
647	200yds	CF Snaps Sniper	Snaps	Sniper Vet or Transitional	Prone	Double Snaps 2NS + 5 X 5 secs DP1	As for 643. Any contemporary sights incl optical.	17	R39-HO
648	200yds	"Open" Pre 1946 Lever CF Repeater	Lever CF	Repeater	Prone	2NS + 10	Iron sights. No slings	41	NEW
649	200yds	Lever Action CF Repeater	Lever CF	Repeater	Prn,Sit,Knl.	Rapid 2NS+60s DP1	Prone, kneeling or sitting. No slings	30	R28-H

OPEN RIFLE (cont): Any design prior to 1946. CF unless stated otherwise										R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited)	SSCB column shows the Skilled Shot bogey score
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code		
663	200yds	"Open" Pre 1946 Lever CF Repeater	Lever CF	Repeater	Standing	2 NS + 10	Iron sights. No slings	30	NEW		
664	200yds	Open Rifle Service Sniper	Service Sniper	Service rifles only	Prone	2 NS + 10	Tin Hat target. Contemporary optical sights. Two point slings.	44	NEW		
665	200yds	Open Rifle Military Miniature	Military Miniature	.22RF-.310 Cadet	Prone	2NS + 10 Sand/Sky Tin Hat	As issued military sights. Two point slings.	44	R11-C		
667	200yds	Open .22 Rimfire Rifle	Open .22 Rimfire rifle	Any pre-1946 designed rifle in .22 RF	Prone	2 NS + 10	Any contemporary metallic sights (e.g. No. 8 rifle permitted)	43	R13-H		

TRANSITIONAL RIFLES: First generation 7.62mm target rifles built on pre-1946 design actions (see Laurie Holland's Target Sports Magazine article obtainable with SAE from the NRA). Single point slings permitted (except matches 718 and 719)										R=ranging shots S=sighters (C=convertible N=non convertible U=unlimited)	SSCB column shows the Skilled Shot bogey score
Match No	Dist	Match Name	Firearm Type	Restrictions	Position	Course of Fire	Conditions	SSCB	Old IHAM Code		
710	200yds	Any Transitional Rifle	Any rifle	7.62mm	Prone	2 NS + 10	Any pattern contemporary. Iron sights only. SP slings permitted	46	R37-P		
718	200yds	Any Transitional Rifle -Rapid	Any rifle	7.62mm	Prone	Rapid 2NS +60s	Iron sights. "Mad Minute". No slings	51	NEW		
719	200yds	First Generation 7.62 Sniper	Sniper	First generation 7.62mm sniper rifle	Prone	McQueen	Scope and mount must be of contemporary design. Rests permitted. Tin Hat target	39	R38-P		

IHAM MEETING 2011
PISTOL AND GALLERY RIFLE (Pistol calibres) MATCHES

MLAGB: best 10 out of 13 shots in 30 mins at 25m. PL7 target. Melville Range						
Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
801	Free Flintlock Pistol - MLAGB	25m	Free Flintlock Pistol	Including rifling and set triggers	80	P10
802	Smoothbore Flint Pistol- MLAGB	25m	Smoothbore Flintlock Pistol	Set triggers allowed	75	P11
803	Target Pistol- MLAGB	25m	Target Pistol	Any 19th century pattern, including single-shots	90	P12
804	Any Revolver- MLAGB	25m	Any Revolver	Any pattern. Any iron sights	88	P15-R
805	Standard Revolver- MLAGB	25m	Standard Revolver	Basic 19th century design. No "specials" e.g. Hege, Feinwerkbau, etc.	88	P17-R

PRECISION: Unlimited sighters and 10 shots to count in 20 mins at 50m HBSA target. Melville Range						
Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
810	Any Target Pistol - Precision	50m	Any Target Pistol	Any pattern, including single-shots. Rugers allowed. Any iron sights	50	P21/P-23
811	Standard Revolver - Precision	50m	Standard Revolver	Basic 19th century design	48	P25-R
814	Shoulder Stocked Pistol - Precision	50m	Shoulder stocked pistol	Basic 19th century design	75	P29

GALLERY RIFLE PRECISION: Unlimited sighters and 20 shots to count in 20 mins at 50m. HBSA 50 m target. Melville Range						
Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
822	Any Lever Action Repeating Rifle - Precision	50m	Any Lever Action Repeating Rifle	Pre-1946 pistol calibres over .22	130	NEW
823	Rimfire Schutzen Rifle 50m - Precision	50m	Rimfire Target Rifle	Palmrest and hooked buttplate allowed. No slings	136	NEW
824	Sporting Rifle 50m - Precision	50m	Sporting Rifle	Pistol calibres. Any contemporary sights	125	NEW
825	Any CF Gallery Rifle - Precision	50m	Any Centrefire Gallery Rifle	Pre-1946 designs. Pistol calibres. Iron sights	125	G65-H
826	Any RF Gallery Rifle - Precision	50m	Any Rimfire Gallery Rifle	Pre-1946 designs. RF pistol calibres only. Iron sights. No target rifles	130	G61-H

GALLERY RIFLE: 100m. 20 shots in 30 mins, starting unloaded. PL7 target. NB: Short Siberia						
Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
832	Any Lever Action Repeating Rifle - 100m	100m	Any Lever Action Repeating Rifle	Pre-1946 pistol calibres over .22. Aperture sights allowed. Standing	140	NEW
833	Rimfire Target Rifle - 100m	100m	Rimfire Target Rifle	Pre-1946 designs. Prone	184	NEW
834	Sporting Rifle - 100m	100m	Sporting Rifle	Pistol calibres. Any contemporary sights. Standing	160	NEW
835	Any CF Gallery Rifle - 100m	100m	Any Centrefire Gallery Rifle	Pre-1946 pistol calibres. Iron sights. Aperture rear sights allowed. Standing	162	NEW
836	Any RF Gallery Rifle - 100m	100m	Any Rimfire Gallery Rifle	Pre-1946 RF pistol calibres. No target rifles. Iron sights. Standing	166	NEW

SLOWFIRE: Pistol calibres: 2 series of 5 shots in 10 mins. Gallery Rifles: 2 series of 10 shots in 10 mins. Both start unloaded. 25m.						
Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
841	Any Revolver - Slowfire	25m	Any Revolver	Any pattern. Any iron sights. Rugers allowed. HBSA 25m scaled target	55	P31-R
842	Standard Revolver - Slowfire	25m	Standard Revolver	Basic 19th century design. HBSA 25m scaled target	59	P34-R
843	Any Lever Action Repeating Rifle - Slowfire	25m	Any Lever Action Repeating Rifle	10 shots per series. Pre-1946 pistol calibres only. Iron sights. HBSA 20 yd target	125	NEW
844	Sporting Rifle - Slowfire	25m	Sporting Rifle	10 shots per series. Pre-1946 pistol calibres only. Any contemporary sights. HBSA 20 yd target	130	NEW
845	Any CF Gallery Rifle - Slowfire	25m	Any Centrefire Gallery Rifle	10 shots per series. Pre-1946 pistol calibres only. Iron sights. HBSA 20 yd target	122	G69-H
846	Any RF Gallery Rifle - Slowfire	25m	Any Rimfire Gallery Rifle	10 shots per series. Pre-1946 pistol calibres only. Iron sights. HBSA 20 yd target	125	G68-H
847	Closed Frame Revolver - Slowfire	25m	Closed Frame Revolver	10 shots per series. Pre-1946 pistol calibres only. Iron sights. HBSA 20 yd target	125	P36-R
848	Open Frame Revolver - Slowfire	25m	Open Frame Revolver	10 shots per series. Pre-1946 pistol calibres only. Iron sights. HBSA 20 yd target	125	P38-R

DUELLING: Single shot only. 10 separate exposures of 3 secs, preceded by 3 secs "edged", at 25m. DP2 target. Melville Range						
Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
851	Flintlock Pistol - Duelling	25m	Flintlock Pistol	Including rifling and set triggers. Smoothbore + 7 points	80	P40/41
852	Single shot Percussion Pistol - Duelling	25m	Single Shot Percussion Pistol	Any 19th century design	82	P42/43
853	Single shot G R - Duelling	25m	Rimfire Gallery Rifle	For .22 rifles. 20 shots - single loading only. Any action. Iron sights. No slings	195	G71-H
854	Repeating CF G R - Duelling	25m	Gallery Rifle CF	For CF pistol calibres. 20 shots - single loading only. Iron sights. No slings.	180	G72-H
855	Duelling - Gallery/Sporting Rifle	25m	Gallery or Sporting Rifle (Any Sights)	Any pistol calibres, including .22. 20 shots - single loading only . Optics allowed. No slings	180	G73-H

**IHAM MEETING 2011
PISTOL AND GALLERY RIFLE (Pistol calibres) MATCHES**

BOBBER: Revolvers and GR only. 5 mins sighters (may inc. timed exposures). Starting position 45 degrees. 2 series of 5 shots: targets faced/edged at 3 sec intervals. 5 shots to be fired at consecutive exposures, pistol/rifle in the ready position between shots.
GRs: 4 series of 5 shot series (20 shots). DP2 targets. Melville Range

Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
860	Bobber - Trigger Cocked Revolver	25m	Trigger Cocked Revolver	Basic 19th century design with trigger-cocked actions, e.g. Tranter, Beaumont, Starr, etc.	80	P57-R
861	Bobber - Any Revolver	25m	Any Revolver	Any pattern. Any iron sights. Rugers allowed.	85	P51-R
862	Bobber - Standard Revolver	25m	Standard Revolver	Basic 19th century design thumb-cocked single action revolver, e.g. Colt, Remington, etc.	80	P54-R
863	Bobber - Repeating CF GR	25m	Repeating Gallery Rifle CF	4 series of 5 shots. CF pistol calibres. Iron sights. No slings	180	G76-H
864	Bobber - Repeating RF GR Manual Action	25m	Repeating Gallery Rifle RF Manual action	4 series of 5 shots. .22 RF pistol calibres. Iron sights. No slings	185	G76-H
865	Bobber - Gallery/Sporting Rifle	25m	Gallery or Sporting Rifle (Any Sights)	4 series of 5 shots. Any pistol calibres, including .22. Optics allowed	185	G79-H
866	Bobber - Historic .22rf Self-loading Gallery/Sporting Rifle	25m	Gallery or Sporting Rifle SELF LOADING(Any Sights)	4 series of 5 shots. .22rf. METALLIC SIGHTS	175	G77-H

SURRENDEN: 3 x 5 shot series, against the clock. Muzzle touching the bench - on "Fire!", a series of 5 shots is fired, the score being the target score, less the number of whole seconds taken to fire it. 25m. HBSA 25m target.

Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
870	Surrenden - Trigger Cocked Revolver	25m	Trigger Cocked Revolver	Basic 19th century design with trigger-cocked actions, e.g. Tranter, Beaumont, Starr, etc.	80	P86-R
872	Surrenden - Any Revolver	25m	Any Revolver	Any pattern. Any iron sights. Rugers allowed	80	P81-R
873	Surrenden - Standard Revolver	25m	Standard Revolver	Basic 19th century design thumb-cocked single action revolver, e.g. Colt, Remington, etc.	90	P84-R
874	Surrenden. Repeating CF GR -	25m	Repeating Gallery Rifle	3 series of 5 shots. CF pistol calibres. Manual actions only, e.g. lever-action, etc. Not single shot.	120	NEW

ADVANCING: 3 series of 5 shots at 25m. 5 mins sighting series. New DP1 target with reduced centre for tiebreaks. Long Range uses identical course of fire. **Melville Range**

Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
881	Any Revolver- Advancing.	25m	Any Revolver	Any pattern. any iron sights. Rugers allowed	49	P61-R
882	Standard Revolver- Advancing.	25m	Standard Revolver	Basic 19th century design thumb-cocked single action revolver, e.g. Colt, Remington, etc.	46	P64-R
883	DA Revolver- Advancing.	25m	"D-A" Revolver	Fired double action (trigger-cocking)	50	P67-R
884	CF Gallery Rifle manual - Advancing.	25m	CF Gallery Rifle (Manual Action)	For CF pistol calibres. Pre-1946 designs. Iron sights. No single shots	71	G81-H
885	RF Gallery Rifle Semi Auto - Advancing.	25m	Rimfire Gallery Rifle (Semi-Auto)	For .22 semi-autos only. Pre-1946 designs. Iron sights	73	G84-H
886	RF Gallery Rifle Manual Action - Advancing.	25m	Rimfire Gallery Rifle (Manual Action)	For .22 rifles. Pre 1946 designs. Iron sights	72	G82-H
887	Any Gallery/sporting Rifle - Advancing	25m	Any Gallery or Sporting Rifle	Any pistol calibre, including .22. Any contemporary sights, including optics	72	G87-H
888	Long Range L/A Rifle Advancing Tgt	50m	Long Range L/A Rifle	For CF pistol calibres. L/A Rifle 2 series of 10 shots with target advancing from 50 to 25 yds	85	NEW
889	Long Range .22 Rifle Advancing Tgt	50m	Long Range .22 Advancing Target	Any small-bore repeating rifle	88	NEW

ARA : 4 series of 5 shots in 20 secs. Unsupported. Ambidextrous, starting in the strong hand. 25m. HBSA 25m target

Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
891	Any Revolver ARA	25m	Any Revolver	Any pattern. any iron sights. Rugers allowed	80	P71-R
892	Standard Revolver ARA	25m	Standard Revolver	Basic 19th century design thumb-cocked single action revolver, e.g. Colt, Remington, etc.	75	P74-R
893	D/A Revolver ARA	25m	"D-A" Revolver	Fired double action (trigger-cocking)	75	P77-R

POCKETS: 3 series of 5 shots. Series one: 120 secs. Series two: 30 secs. Series three: 15 secs. Starting position 45 degrees. 10 yds. HBSA 20 yd target

Match No	Match Name	Distance	Firearm Type	Conditions	SSCB	Old IHAM Code
896	Standard Pocket Revolver	10 yds	Standard Revolver.	Basic 19th century design thumb-cocked single action revolver, e.g. Colt, Remington, etc.	85	P92-R
897	Thumbcocked Pocket Revolver	10 yds	Single Action Pocket Revolver	Maximum dimensions: height + length =15 inches	76	P91-R
898	ARA Dble Action Pocket Revolver	10 yds	Double Action Pocket Revolver.	Dimensions as above. Trigger-cocked actions, including pepperboxes	76	P94-R